

## Bibliografia

- [1] N. Prasad, A. Prasad, *WLAN Systems and Wireless IP for Next Generation Communications*, Artech House, 2001.
- [2] ISO/IEC 8802-11, ANSI/IEEE Standard 802.11, First Edition 1999, “*Information Technology - Telecommunications and Information Exchange Between Systems - Local and Metropolitan Area Networks - Specific Requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications*“, 1999.
- [3] L. L. Peterson, B. S. Davie, *Computer Networks: A System Approach*, Morgan Kaufmann Publishers, second edition.
- [4] S. Mangold, S. Choi, P. May, O. Klein, G. Hiertz and L. Stibor, “*IEEE 802.11e Wireless LAN for Quality of Service*” in European Wireless Conference 2002, Florence, Italy, Feb. 2002.
- [5] IEEE Std 802.11b-1999, “*Supplement to Standard for Information Technology – Telecommunications and Information Exchange Between Systems - Local and Metropolitan Area Networks - Specific Requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Higher Speed Physical Layer (PHY) Extension in the 2.4 GHz Band*”, 1999.
- [6] IEEE Std 802.11a-1999, “*Supplement to Standard for Information Technology – Telecommunications and Information Exchange Between Systems - Local and Metropolitan*

*Area Networks - Specific Requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications: Higher Speed Physical Layer (PHY) Extension in the 5 GHz Band*", 1999.

[7] ETSI. *Broadband Radio Access Networks (BRAN); HIPERLAN type 2 technical specification; Data Link Control (DLC) layer; Part 1: Basic Transport Function*, 1999.

[8] ETSI. *Broadband Radio Access Networks (BRAN); HIPERLAN type 2 technical specification; Physical (PHY) layer*, 1999.

[9] IEEE Std 802.11g-2003, "*IEEE Standard for Information technology – Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements. Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications. Amendment 4: Further Higher Data Rate Extension in the 2.4 GHz Band*", June 2003.

[10] International Telecommunication Union (ITU). *G.1010: End-user multimedia QoS categories*. ITU-T Recommendation G.1010, Nov. 2001.

[11] International Telecommunication Union (ITU). *G.114: One-way transmission time*. ITU-T Recommendation G.114, May 2000.

[12] IEEE Std 802.11e/D8.0, February 2004, "*Draft Amendment to STANDARD [for] Information Technology - Telecommunications and Information Exchange Between Systems - LAN/MAN Specific Requirements - Part 11: Wireless Medium Access Control (MAC) and Physical Layer (PHY) specifications: Medium Access Control (MAC) Quality of Service (QoS) Enhancements*", 2004.

- [13] D. Gu, J. Zhang, "QoS Enhancement in IEEE 802.11 Wireless Local Area Networks", *IEEE Communications Magazine*, June 2003, pp 120-124.
- [14] S. Mangold, S. Choi, P. May, O. Klein, G. Hiertz and L. Stibor, "IEEE 802.11e Wireless LAN for Quality of Service" in *European Wireless Conference 2002*, Florence, Italy, Feb. 2002.
- [15] A. Grilo, M. Macedo, M. Nunes, "A Scheduling Algorithm for QoS Support in IEEE 802.11e Networks" in *Wireless Communications*, June 2003, pp 36-43.
- [16] G. Boggia, P. Camarda, C. Di Zanni, L. A. Grieco, and S. Mascolo, "A Dynamic Bandwidth Allocation Algorithm for WLANs with HCF Access Method" in *Proceedings of QoFIS, Quality of Future Internet Services*, October 2003.
- [17] G. Boggia, P. Camarda, L. A. Grieco and S. Mascolo, "Feedback-based bandwidth allocation with call admission control for providing delay guarantees in IEEE 802.11e networks", October 2004.
- [18] A. Annese, "*Sperimentazione di algoritmi di allocazione dinamica della banda per servizi real-time in reti WLAN*", tesi di laurea in Ingegneria Elettronica, Politecnico di Bari, a.a. 2002/2003.
- [19] A. Barbuzzi, G. Binetti, G. Boggia, P. Camarda, L. A. Grieco, S. Mascolo, "Real-time applications in 802.11 WLAN using feedback-based bandwidth allocation".
- [20] IEEE Std 802.11e/D6.0, November 2003, "Draft Amendment to STANDARD [for] Information Technology - Telecommunications and Information Exchange Between Systems - LAN/MAN Specific Requirements - Part 11: Wireless Medium Access Control

(MAC) and Physical Layer (PHY) specifications: Medium Access Control (MAC) Quality of Service (QoS) Enhancements”, 2003.

[21] F. A. Favia, “*Ottimizzazione energetica di protocolli di accesso in reti Wireless LAN*”, tesi di laurea in Ingegneria Elettronica, Politecnico di Bari, a.a. 2003/2004.

[22] F. Chimienti, “*Protocolli MAC energeticamente efficienti per il supporto della QoS in reti WLAN*”, tesi in Ingegneria Elettronica, Politecnico di Bari, a.a. 2003/2004.

[23] <http://www.isi.edu/nsnam/ns/>. The Network Simulator Homepage

[24] <http://nile.wpi.edu/ns/menu.html>. NS by example - Homepage.

[25] International Telecommunication Union (ITU). *Coding of Speech at 8 kbit/s using Conjugate-Structure Algebraic-Code-Excited Linear Prediction (CS-ACELP)*. ITUT Recommendation G.729, Mar. 1996.

[26] International Telecommunication Union (ITU). *H.263: Video Coding for low bit rate communication*. ITU-T Recommendation H.263, Mar. 2001.

[27] <http://www-tkn.ee.tu-berlin.de/research/trace/trace.html>. MPEG-4 e H.263 trace files - Homepage.

[28] <http://www.mpeg.org>. MPEG Homepage.